जा.क्र./नसका/स्थायी/सिआर-36/2020
दिनांकः- 02.03.2021

स्थायी समितीच्या सभेची सूचना

महाराष्ट्र महानगरपालिका अधिनियम 1949 चे अनुसूची ड चे प्रकरण-2 मधील नियम क्र. 3 (अ) अन्वये महाराष्ट्र महानगरपालिका अधिनियम 1949 चे अनुसूचि ड चे प्रकरण दोन मधील नियम क्र.3 (अ) (ब) अन्वये नांदेड वाघाळा शहर महानगरपालिकेच्या स्थायी समितीची सभा **दिनांक 03.03.2021 रोजी सायंकाळी 05.00** वाजता **नांदेड वाघाळा शहर महानगरपालिकेच्या स्थायी समिती सभागृह येथे भरविण्यात येत आहे तरी या सभेस उपस्थित रहावे ही विनंती**

स्वाक्षरीत/-	**स्वाक्षरीत/-**
(स. अजीतपालसिंघ संधु)	**(गाडीवाले विरेंद्रसिंघ जगतसिंघ)**
नगरसचिव,	**सभापती,**
नांवाशमनपा, नांदेड.	**स्थायी समिती,** नांवाशमनपा, नांदेड.

प्रति,
श्री / श्रीमती ---
सदस्य / सदस्या, स्थायी समिती,
नांदेड वाघाळा शहर महानगरपालिका, नांदेड.

विषय क्रं. 01

दिनांक 21.01.2021 रोजी मागील झालेल्या स्थायी समितीचे इतिवृत्त कायम करणे बाबत

विषय क्रं. 02

नांदेड वाघाळा शहर महानगरपालिकेत मालमत्ता कर आकारणी पुर्ण करणेसाठी **मे. जयश्री सेल्स कार्पोरेशन नांदेड** यांचेकडून Sharp AR 6020 N प्रिंटर्सची खरेदी करण्यात आली होती. सन 2018-19 ते 2020-21 दरम्यानच्या मालमत्ता देयक, पाणीकर देयक व तामील प्रत छपाई करण्याचे काम केल्यामुळे सदर प्रिंटर्ससाठी इंक कार्टेज मागविण्यात आले आहेत त्यासाठी अंदाजित रुपये 1,31,231/- रुपये एवढा खर्च अपेक्षित आहे.

सदर एजन्सीने वेळोवेळी इंक कार्टेज तसेच इतर साहित्य यांचा पुरवठा केला आहे त्याबाबतचे देयक या कार्यालयात सादर केले आहे त्या देयकांची अदायी करणे बाकी आहे त्याची माहिती खालील प्रमाणे आहे.

मे. जयश्री सेल्स कार्पोरेशन नांदेड यांचेकडून घेण्यात आलेल्या इंक कार्टेज तसेच इतर साहित्य यांच्या देयकांचा तपशील पुढील प्रमाणे –

Sr. No.	Description of Goods	Bill No. and Bill Date	Quantity	प्र. व आ. मान्यता	Amount Rs. CGST&SCST Included
01	Sharp MX-237 BT Toner Unit with IC for – Sharp AR-6020N Series	Bill No. 390 Dt. 23.10.2018	08	Order No. Nwcmc/ comp Sec/ 10259/ 2018 Dt. 23.10.2018	42784.00 (Rs.5348.00 Per Unit
02	Sharp MX-237 BT Toner Unit with IC for – Sharp AR-6020N Series	Bill No. 306 Dt. 16.02.2018	06	Order No. Nwcmc/ comp Sec/ 12348/ 2018 Dt. 30.01.2020	32088.00 (Rs.5348.00 Per Unit
03	1. Sharp MX-312 AR OPC (01) 2. Sharp MX-32 AV Developer (01) 3. Sharp AR Cleaning Blade (01)	Bill No. 321 Dt. 06.02.2018	01 01 01	--	4103.00 + 3400.00 + 1700.00 **10859.00**
04	Toner Cartige Unit Sharp MX-237 AT	Bill No. 1226 Dt. 11.11.2019	05	--	45500.00 (Rs.7712.00 Per Unit)
				देयकाची एकूण रक्कम	**रु. 1,31,231/-**

वरील प्रमाणे देयक अदायी करणेस्तव सर्वदेयकांची एकूण रक्कम रुपये 1,31,231/- एवढी होत असल्याने सदरील (रुपये अक्षरी एक लक्ष एकतीस हजार दोनशे एकतीस फक्त) यास कार्योत्तर प्रशासकीय व आर्थीक मान्यता देणेस्तवचा प्रस्ताव स्थायी समिती सभेसमोर सादर.

यावर होणारा खर्च सालसनप 2020-21 च्या अंदाजपत्रकातील संबंधीत लेखाशिर्षकाखालील तरतुदीतुन करण्याकरिता मान्यता व्हावी.

विषय क्रं. 03

नांदेड वाघाळा शहर महानगरपालिका हद्यीतील सर्व **ट्राफिक सिग्नल्सची** एकूण तिन वर्ष दैनंदिन देखभाल व दुरुस्तीच्या कामासाठी खाजगी कंत्राटदाराची नेमणूक करणेसाठी इ-निविदा सूचना क्रं. मनपा/ विधूत/9070/2020-21 दिनांक 17.12.2020 दै. लोकपत्र व दैनिक गांववाला या वृत्तपत्रामध्ये दिनांक 18.12.2020 रोजी प्रसिध्द करुन ONLINE निविदा मागविण्यात आले असता दिलेल्या मुदतीत एकूण 02 निविदा प्राप्त झाले आहेत व प्राप्त निविदा मनपाकेच्या निविदा समिती समोर उघडण्यात आले असुन प्राप्त दरांचे तुलनात्मक तक्ताखालील प्रमाणे आहे.

अ.क्र.	कंत्राटदाराचे नांव	सादर केलेले रक्कम रु.
01	M/S Electro Ads Indore	32,74,500/-
02	M/s Onnix Electronics Pvt Ltd Delhi	36,48,500/-

वरील प्रमाणे प्राप्त दरांच्या तुलनात्मक तक्त्यानुसार सर्वात कमी दराची निविदा M/s Electro Ads Indore याची असून जी रु. 32,74,500/- ची असल्याने त्यांना दर कमी करणेसाठी वाटाघाटीस बोलविण्यात आले असता वाटाघाटी अंती संबंधीतांना 2% दर कमी करुन सदरील काम रुपये 32,09,010/- (अक्षरी रुपये बत्तीस लाख नऊ हजार दहा फक्त) या रक्कमेवर करणेसाठी मान्य करुन लेखी समंती दिलेली आहे. त्यसानुसार निविदेतील अटी व शर्तीनुसार या कामासाठी M/s Electro Ads Indore ची निविदा मंजुरीस्तव सादर.

विषय क्रं. 04

नांदेड वाघाळा शहर महानगरपालिकेच्या हद्दीमधील झोन क्रं. 1, 2 व 3 (**नांदेड उत्तर भाग**) मधील सार्वजनिक पथदिव्यांची दैनंदिन देखभाल व दुरुस्ती करणे व पथदिवे दैनंदिन चालू बंद करण्याचे काम कार्यारंभ आदेश क्रं. मनपा/विधुत/16968/2018-19 दिनांक 20.02.2019 नुसार **मे. जय इन्टरप्रायझेस परभणी** यांना एक वर्षासाठी देण्यात आले होते. मनपा हद्दीतील सर्व सार्वजनिक पथदिव्यांचे रुपांतर एलईडी मध्ये करणे व पुढील सात वर्ष सदरील पथदिव्यांचे दैनंदिन देखभाल व दुरुस्ती करणेच्या कामासाठी शासनाच्या निर्देशानुसार नांदेड वाघाळा शहर महानगरपालिकेने EESL कंपनीसोबत दिनांक 18.10.2019 रोजी करारनामा केलेला होता. परंतु सदरील कंपनीने काम सुरु करीत नसल्यामुळे व सार्वजनिक पथदिव्यांचे दैनंदिन देखभाल व दुरुस्तीचे काम चालू ठेवणे आवश्यक असल्याने **मे. जय इन्टरप्रायजेस परभणी** यांना मंजूर दरानुसार प्रथम मुदतवाढ दिनांक 20.02.2020 ते 19.05.2020 पर्यंत आदेश क्रं. मनपा/विधुत/13040/2019-20 दिनांक 12.02.2020 नुसार एकूण तिन महिण्यासाठी देण्यात आले होते. तदनंतर संबंधीतांना दिनांक 20.05.2020 ते 19.08.2020 पर्यंत आदेश क्रं. मनपा/विधुत/927/2020-21 दिनांक 19.08.2020 नुसार द्वितीय मुदतवाढ देण्यात आले होते. तदनंतर मा. स्थायी समितीचा ठराव क्रं. 17 दिनांक 30.07.2020 च्या मान्यतेने **मे. जय इन्टरप्रायजेस परभणी** यांना दिनांक 20.08.2020 ते 19.02.2021 पर्यंत एकूण सहा महिण्यासाठी तिसरे मुदतवाढ आदेश क्रं. मनपा/विधुत/4531/2020-21 दिनांक 19.08.2020 नुसार देण्यात आले आहे त्यानुसार संबंधीतांकडून सदरील काम चालू आहे व सदरील कामाची मुदत दिनांक 19.02.2021 रोजी संपत असून नांदेड वाघाळा शहर महानगरपालिकेने EESL कंपनी सोबत केलेला करारनामा रद्द केले असल्यामुळे मनपा हद्यिमधील झोन क्रं. 1, 2 व 3 **(नांदेड उत्तर भाग)** मधील साव्रजनिक पथदिव्यांची दैनंदिन देखभाल व दुरुस्ती करणे व पथदिवे दैनंदिन चालू बंद करण्याचे कामासाठी नविन खाजगी कंत्राटदाराची नेमणूक करण्याची कार्यवाही चालू असल्यामुळे या कामासाठी **मे. जय इन्टरप्राजेस परभणी** यांना मंजुर दरानुसार दिनांक 20.02.2021 ते 19.04.2021 पर्यंत पुढील दोन महिण्याची मुदतवाढ देणेसाठी मान्यतेस्तव सादर.

विषय क्रं. 05

नांदेड वाघाळा शहर महानगरपालिकेच्या हद्दीमधील झोन क्रं. 4, 5 व 6 **(नांदेड दक्षिण भाग)** मधील सार्वजनिक पथदिव्यांची दैनंदिन देखभाल व दुरुस्ती करणे व पथदिवे दैनंदिन चालू बंद करण्याचे काम कार्यारंभ आदेश क्रं. मनपा/विधुत/16967/2018-19 दिनांक 20.02.2019 नुसार **मे. नांदेड इलेक्ट्रीकल इंजिनिअर्स नांदेड** यांना एक वर्षासाठी देण्यात आले होते. मनपा हद्दीतील सर्व सार्वजनिक पथदिव्यांचे रुपांतर एलईडी मध्ये करणे व पुढील सात वर्ष सदरील पथदिव्यांचे दैनंदिन देखभाल व दुरुस्ती करणेच्या कामासाठी शासनाच्या निर्देशानुसार नांदेड वाघाळा शहर महानगरपालिकेने EESL कंपनीसोबत दिनांक 18.10.2019 रोजी करारनामा केलेला होता. परंतु सदरील कंपनीने काम सुरु करीत नसल्यामुळे व सार्वजनिक पथदिव्यांचे दैनंदिन देखभाल व दुरुस्तीचे काम चालू ठेवणे आवश्यक असल्याने **मे. नांदेड इलेक्ट्रीकल इंजिनिअर्स नांदेड** यांना मंजूर दरानुसार प्रथम मुदतवाढ दिनांक 20.02.2020 ते 19.05.2020 पर्यंत आदेश क्रं. मनपा/विधुत/13039/2019-20 दिनांक 12.02.2020 नुसार एकूण तिन महिण्यासाठी देण्यात आले होते. तदनंतर संबंधीतांना दिनांक 20.05.2020 ते 19.08.2020 पर्यंत आदेश क्रं. मनपा/विधुत/928/2020-21 दिनांक 19.08.2020 नुसार द्वितीय मुदतवाढ देण्यात आले होते. तदनंतर मा. स्थायी समितीचा ठराव क्रं. 16 दिनांक 30.07.2020 च्या मान्यतेने **मे. नांदेड इलेक्ट्रीकल इंजिनिअर्स नांदेड** यांना दिनांक 20.08.2020 ते 19.02.2021 पर्यंत एकूण सहा महिण्यासाठी तिसरे मुदतवाढ आदेश

क्रं. मनपा/विधुत/4532/2020-21 दिनांक 19.08.2020 नुसार देण्यात आले आहे त्यानुसार संबंधीतांकडून सदरील काम चालू आहे व सदरील कामाची मुदत दिनांक 19.02.2021 रोजी संपत असून नांदेड वाघाळा शहर महानगरपालिकेने EESL कंपनी सोबत केलेला करारनामा रद्द केले असल्यामुळे मनपा हद्दिमधील झोन क्रं. 4, 5 व 6 **(नांदेड दक्षिण भाग)** मधील सार्वजनिक पथदिव्यांची दैनंदिन देखभाल व दुरुस्ती करणे व पथदिवे दैनंदिन चालू बंद करण्याचे कामासाठी नविन खाजगी कंत्राटदाराची नेमणूक करण्याची कार्यवाही चालू असल्यामुळे या कामासाठी **मे. नांदेड इलेक्ट्रीकल इंजिनिअर्स नांदेड** यांना मंजुर दरानुसार दिनांक 20.02.2021 ते 19.04.2021 पर्यंत पुढील दोन महिण्याची मुदतवाढ देणेसाठी मान्यतेस्तव सादर.

विषय क्रं. 06

विषय :- नांदेड शहरातील कोविड सेंटर येथे साफसफाई करिता एकूण 10 कामगार पुरविण्यात आले त्याची नोंद घेणे बाबत.

संदर्भ :- कार्यारंभ आदेश क्रं. जवमा/2339/20 दिनांक 30.06.2020

कोरोना काळा मध्ये नांदेड शहरातील महानगरपालिकेच्या कोविड सेंटर येथे साफसफाईच्या कामा करिता 08 सफाई कामगार व 02 सुपरवायझर असे एकूण 10 कामगार पुरविणेसाठी प्रतिमहा प्रति कामगार रुपये 16,077/- याप्रमाणे एकूण 10 कामगारांकरिता प्रति महा रुपये 1,60,770/- याप्रमाणे ओमसाई स्वयंरोजगार सुरक्षारक्षक व इतरा सेवा पुरवठा सं. नांदेड यांना तात्पुरत्या स्वरुपात दिनांक 01.07.2020 ते 08.11.2020 पर्यंत काम देण्यात आले होते सदर कामाची स्थायी समिती समोर नोंद घेणेसाठी सादर.

विषय क्रं. 07

कार्यालयीन आदेश क्रं. नावाशमनपा/पापुवजनि/11386/2020 दिनांक 15.02.2021 अन्वये नांदेड वाघाळा शहर महानगरपालिका हद्यीतील पाणी पुरवठा विभागा अंतर्गत सर्व WTP व WPS येथील विधुत व्यवस्था व देखभाल दुरुस्ती करणे (Stand By) चे कामासाठी कार्यालयीन आदेश क्रं. नावाशमनपा/पापु व जनि/9540/2019 दिनांक 21.11.2019 अन्वये प्रशासकिय व आर्थीक मान्य रुपये 12,08,438/- (अक्षरी रुपये बारा लक्ष आठ हजार चारशे अळतीस फक्त) ला मंजुरी प्रदान करण्यात आलेली आहे. कार्यालयीन आदेश क्रं. नावाशमनपा/पापुजनि/10199/2019 दिनांक 06.11.2019 अन्वये **कंत्राटदार दिलीप ईलेक्ट्रीकल अन्ड इंजिनिअरींग नांदेड** यांना कार्यारंभ आदेश देण्यात आलेले आहे.

साल सन 2019-20 वित्तीय वर्ष संपलेमळे सालसन 2020-21 या वर्षात सदर कामासाठी रुपये 6,01,468/- (अक्षरी रुपये सहा लक्ष एक हजार चारशे अळसष्ठ फक्त) यास पाणी पुरवठा देखभाल देरुस्ती या लेखा शिर्षातुन महाराष्ट्र महानगरपालिका अधिनियम 1949 चे कलम 73(ड) अन्वये प्राप्त अधिकारानुसार पुनर प्रशासकीय व आर्थीक मान्यता सदरील आदेशाव्दारे देण्यात आली **त्याची नोंद घेणे बाबत.**

विषय क्रं. 08

विषय :- नांदेड वाघाळा शहर महानगरपालिका हद्यीत प्रभाग क्रं. 15 मधील वार्षीक देखभाल दुरुस्ती जसे रस्ते दुरुस्ती, नाली दुरुस्ती, विविध सण, जयंती पुण्यतिथी, उत्सव निमित्त कामे करणे

नांदेड वाघाळा शहर महानगरपालिका हद्यीत प्रभाग क्रं. 15 मधील वार्षीक देखभाल दुरुसती जसे रस्ते दुरुस्ती, नाली दुरुस्ती, विविध सण, जयंती, पुण्यतिथी, उत्सव निमित्त कामे करणेसाठी कार्यालयीन ई-दरपत्रक सुचना जा.क्रं. नावाशमनपा/साबांवि/2379/20 दिनांक 02.04.2020 अन्वये दैनिक मराठवाडा,

दैनिक वाचकमंच या वृत्तपत्रात दिनांक 03.07.2020 रोजी ई-दरपत्रक प्रसिध्द करुन दर मागविले असता 02 दरपत्रक प्राप्त झाले.

प्राप्त दरपत्रक त्रिसदस्यीय समिती समोर दिनांक 12.08.2020 रोजी उघडण्यात आले असता तुलनात्मक तक्त्यावरुन **कंत्राटदार मो. अजिम मो. अब्दुल अजीज नांदेड** यांचे दर प्राप्त असुन **मो. अजिम मो. अब्दुल अजीज नांदेड** यांनी भरलेले रस्ते दुरुसतीच्या एकुण 58 बाबीपैकी 58 बाबीचे दर हे प्रचलीत जिल्हा दरसुची (2019-20) नुसार जास्त आहेत. सादर केलेले दर हे प्रचलीत दरसुचीनुसार जास्तीचे वाटत असल्याने संबंधीतास दर कमी करण्यासाठी वाटाघाटी करीता कार्यालयीन पत्र क्रं. नावाशमनपा/ साबांवि/5636/20 दिनांक 15.09.2020 अन्वये पाचारण करण्यात आलेअसता संबंधीतांनी प्रत्यक्ष उपस्थित राहुन लेखी पत्र देवुन रस्ते दुरुस्तीच्या एकूण 58 बाबीचे जास्तीचे भरलेले दर हे जिल्हादरसुची (SSR) 2019-20 अन्वये + 12% GST ने करण्यास तयार आहेत.

करिता **कंत्राटदार मो. अजिम मो. अब्दुल अजीज नांदेड** यांनी वाटाघाटी अंती रस्ते दुरुस्तीच्या 58 बाबीचे जास्तीचे भरलेले दर हे कमी करुन जिल्हादरसुची (SSR) 2019-20 अन्वये करण्यास तयार असुन वाटाघाटी अंती एकूण 58 बाबींचे दर खालील दिलेल्या तुलनात्मक तक्त प्रमाणे –

Nnanded Waghala City Municipal Corporation Nanded					
<u>Name of Work:-</u> Annual Maintenance Rate contract for Road repairing Drain repairing for various festivals, jayanti, death anniversary etc in Prabhag No. 12 NWCMC Nanded					
Sr. No.	**Particulars**	**Unit**	**Rate coat by contract Mohd. Azeem M. Abdul Aziz**	**Rate asper SSR 2019-20**	**Final rate**
Road Item					
1	Excavation for roadway in earth, soil of all sorts, sand, gravel or soft murum including dressing section to the required grade, camber and side slopes and conveying the excavated materials with all lifts upto a lead of 50m. and spreading for embankment or stacking as directed.	Cum.	98	76.54	76.54
2	Excavation for catch / side water gutter in all sorts of soils to the specified section including stacking the excavated stuff in a regular bund and disposing of unsuitable or excess stuff as directed all sorts of soils.	Cubic Metre	98	76.54	76.54
3	Supplying hard murum/ kankar at the road site, including conveying and stacking complete.	Cubic Metre	789	630.72	630.72
4	Supplying Soft murum at the road site, including conveying and stacking complete.	Cubic Metre	755	599.26	599.26
5	Supplying 63 to 45 mm size trap stone metal at the road site, including conveying and stacking complete.	Cubic Metre	1505	1201.35	1201.35
6	Supplying 40 mm nominal size trap stone agreegate at the road site, including conveying and stacking complete.	Cubic Metre	1505	1201.35	1201.35
7	Supplying 6 mm size trap stone agreegate at the road site, including conveying and stacking complete.	Cubic Metre	1505	1201.35	1201.35
8	Spreading gravel/sand/soft murum/hard murum for side width etc. complete	Cubic Metre	85	66.06	66.06
9	Compacting the hard murum side widths including laying in layers on each side with power roller including artificial watering etc. complete.	Square Metre	34	16.78	16.78
10	Picking the road surface including sectioning etc. complete (WBM surface.)	Square Metre	28	21	21
11	Picking the road surface including sectioning etc. complete (BT surface.)	Square Metre	40	29.4	29.4
12	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing to proper grade and camber, applying and brooming requisite type of screening/ binding Materials to fill up the interstices of coarse aggregate, watering and compacting ?with Intelligent Compactor with compaction analyzer and V-Sat attachment.to the required density. Grading I (Using Screening Type B (11.2 mm) Aggregate)	Cubic Metre	2252	1798.3	1798.3
13	Providing, laying, spreading and compacting stone aggregates of specific sizes to water bound macadam specification including spreading in uniform thickness, hand packing to proper grade and camber, applying and brooming requisite type of screening/ binding Materials to fill up the interstices of coarse aggregate, watering and compacting with Intelligent Compactor with compaction analyzer and V-Sat attachment. to the required density. Grading II (Using Screening Type B (11.2 mm) Aggregate)	Cubic Metre	2210	1772.09	1772.09
14	Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/ granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With natural sand/V.S.I. quality Artificial Sand	Cubic Metre	6605	5333.76	5333.76

15	Providing and laying in situ cement concrete of 1:4:8 proportion with trap/ granite/ quartzite/ gneiss metal in foundation including necessary form work, compacting and curing etc. complete. (with reversible drum rtype mixer with SCADA with Natural / VSI standard Artificial Sand)	Cubic Meter	5878	4718.78	4718.78
16	Providing and laying Cast in situ/Ready Mix cement concrete in M20 of trap/ granite/quartzite/gneiss metal for bed blocks, foundation blocks and such other items including bailing out water, plywood/steel formwork, laying/ pumping, compacting, roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing etc. complete. The Cement Mortar 1:3 plaster is considered for rendering uneven and honeycombed surface only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.), with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With natural sand/V.S.I. quality Artificial Sand	Cubic Metre	7710	6176.57	6176.57
17	Providing and laying in situ / ready mix M20 controlled cement concrete of trap/ granite/ quartzite/ gneiss metal for RCC work in solid/ deck slab etc. including ramming, vibrating, curing, formwork, centering and finishing in cement plaster excluding reinforcement etc. complete. (height up to 4 meter with fully automatic micro processor based PLC with SCADA enabled reversible drum type mixer/ concrete batch mix plant (pan mixer) with natural /artifical sand)	Cubic Metre	7910	6176.57	6176.57
18	Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15 cm to 20 cm thick including hand packing and compacting etc. complete.	Cubic Metre	1752	1396.06	1396.06
19	Transportation of excavated material beyond the site upto 3 km	Cubic Metre	238	186.55	186.55
20	Providing and fixing factory made Hydraulically pressed Mechanically vibrated and compacted precast inter locking cement concrete paving blocks 80MM thick in M-40 grade of approved size and shape for City streets, small /medium market roads,low volume roads, utility cuts on arterial roads etc. as specified and as per IS 15658:2006 including cost of all materials, manufacturing, curing, transportation of blocks to work site including loading, unloading and stacking as directed, laying paving blocks in position over prepared bed of natural sand / crushed sand of 50 mm thickness including necessary excavation in all stratas, spreading blindge of fine sand over the prepared bed, compacting blocks by plate vibrator etc. complete.	Square Metre	1352	1084.15	1084.15
21	Providing and fixing factory made Hydraulically pressed Mechanically vibrated and compacted precast inter locking cement concrete paving blocks 100MM thick in M-50 grade of approved size and shape for City streets and roads with high volume/ heavy traffice as specified and as per IS 15658:2006 including cost of all materials, manufacturing, curing, transportation of blocks to work site including loading, unloading and stacking as directed, laying paving blocks in position over prepared bed of natural sand / crushed sand of 50 mm thickness including necessary excavation in all stratas, spreading blindge of fine sand over the prepared bed, compacting blocks by plate vibrator etc. complete.	Square Metre	1352	1099.88	1099.88
22	Providing and constructing 75 mm. thick Modified Penetration Macadam (MPM) road surface including all materials, preparing the existing road surface, spreading 40 mm. stone metal layers 100% crusher broken metal heating and spraying the bitumen of VG-30 grade @ 2 Kg/sqm, spreading 12 mm.size chips compacting with three wheel static roller having weight 8 to 10 MT. to achive the desired degree of compaction as per Technical Specification Clause 506 etc. complete. Including picking of existing WBM surface.	Square Metre	293	232.53	232.53
23	Providing and constructing 75 mm. thick Modified Penetraction Macadam (MPM) road surface including all materials, preparing the existing road surface, spreading 40 mm. stone layers metal 30% crusher broken metal + 70% Hand broken metal (By breaking Rubble obtained by blasting) , heating and spraying the bitumen of VG-30 grade @ 2 kg / sqm , spreading 12mm.size chips compacting with three wheel static roller having weight 8 to 10 MT. to achive the desired degree of compaction as per Technical Specification Clause 506 etc.complete, including applying tack coat of VG 10 grade bitumen at the rate of 0.30 Kg Sqm. On existing bitumen surface.		293	232.53	232.53
24	Providing and constructing 50 mm. thick Modified Penetration Macadam (MPM) road surface including all materials, preparing the existing road surface, spreading 40mm. stone layers metal 30% crusher broken metal + 70% Hand broken metal (By breaking Rubble obtained by blasting) , heating and spraying the bitumen of VG-30 @ 1.75 kg / sqm, spreading 12mm.size chips compacting with Static roller having weight 8 to 10 MT. to achive the desired degree of compaction as per Technical Specification Clause 506 etc.complete, including applying tack coat of bitumen VG-10 at the rate of 0.30 Kg Sqm.(on existing bitumen surface.)	Square Metre	265	207.75	207.75
25	Providing bituminous Type A liquid seal coat on bituminous surface including supplying all materials and bitumen of VG-30 grade preparing existing road surface, heating and applying bitumen @ 0.98 KgSqm. By mechanical means, spreading chips and rolling, by static roller having weight 8 to 10 MT. etc. complete.	Square Metre	72	55.74	55.74
26	Repair to pot holes by removal of failed material, trimming the sides to vertical and [illegible]eveling the bottom, cleaning the same with compressed air or any appropriate method filled with 75mm B.M, applying bitumen tack coat at the bottom and vertical sides as per as per MORTH specification clause 3004.1 and 3004.2	Cubic Metre	9690	7744.73	7744.73
27	Brooming the W.B.M. surface by wire Brushes, coir brushers, dusting, cleaning etc. for receiving the bituminous treatment complete. Brooming the water Bound Macadam surface by wire.	Square Metre	20	14.68	14.68
28	BITUMINOUS MACADAM:--Providing and laying bituminous macadam using crushed aggregate of Grading 1, premixed with bituminous binder, transported at site with VTS, laid over a previously prepared surface , finished to the required grade ,level, alignment,and rolling to achieve the desired density for 80/100 mm compacted thickness with drum mix type hot mix plant with SCADA having complying essential features of Hot mix plant as per IRC-27 2009 specified conditions and attachments such as electronic load sensor based belt conveyers,automatic synchronization of bitumen and aggregate fedder,built in dust controller system and PLC for Drum Mix plant ,Sensor paver,and Vibratory roller excluding prime/Tack coat etc. complete –Bitumen VG-30 grade 3.30%	Cubic Metre	7252	5799.94	5799.94
29	DENSE BITUMINOUS MACADAM:--Providing and laying dense bituminous macadam using crushed aggregate of grading 1, premixed with bituminous binder Bitumen VG-30 grade,@ 4.50 % by weight of total mix and filler, transported at site with VTS, laid over a previously prepared surface , finished to the required grade ,level, alignment,and rolling to achieve the desired density for 76/100 mm compacted thickness with drum mix type hot mix plant with SCADA having complying essential features of Hot mix plant as per IRC-27-2009 specified conditions and attachments such as electronic load sensor based belt conveyers, automatic synchronization of bitumen and aggregate fedder,built in dust controller system and PLC for Drum Mix plant ,Sensor paver, and Vibratory roller excluding prime/Tack coat etc. complete – Bitumen VG-30 grade with stone dust filler	Cubic Metre	9155	7279.11	7279.11

30	BITUMINOUS CONCRETE:--Providing and laying bituminous concrete using crushed aggregate of grading 2, premixed with bituminous binder @5.4% by weight of total mix and filler, transported at site with VTS, laid over a previously prepared surface, finished to the required grade ,level, alignment, and rolling to achieve the desired density for 30/40 mm compacted thickness with drum mix plant with SCADA, Sensor paver and Vibratory roller excluding prime/Tack coat etc. complete –Bitumen VG-30 grade with stone dust filler	Cum.	10252	8177.02	8177.02
31	Providing and applying tack coat on the prepared surface heating by fames in Boiler and spraying bitumen with sprayer on Dry / Hungry B.T. surface 3 kg/10 sqm. VG-30 bulk bitumen	Square Metre	22	15.04	15.04
32	Providing and applying tack coat on the prepared surface heating by flames in Boiler and spraying bitumen with sprayer on Granular surface treated with primer @ 2.75 kg/10 sqm with VG-30 bulk Bitumen	Square Metre	22	13.88	13.88
33	Providing and applying tack coat on the prepared surface heating by flames in Boiler and spraying bitumen with sprayer on Concrete surface treated with primer @ 3.25 kg/10 sqm with VG-30 bulk Bitumen	Square Metre	22	14.11	14.11
34	Spreading 40 mm to 60 mm metal including sectioning etc. complete	Cubic Metre	116	89.12	89.12
35	Compacting the sub grade/ gravel/ 60 mm oversize metal (upto 200 mm loose)/ 40 mm size metal (100 mm) layers upto 2 m to 7 m wide with power roller including necessary labour, material and artificial watering etc. complete.	Square Metre	35	28.31	28.31
36	Providing and laying in-situ M30 Grade unreinforced plain cement concrete pavement over a prepared sub base with 43 grade cement , coarse and fine aggregate conforming to IS 383, using fine and coarse aggregates combined gradation as per Table 600-3 of MORTH Specification 2013, mixed in a batching and mixing plant/ non tilting mixer and Weigh batcher as per approved mix design, admixtures, transporting to site, spreading, laying compacting and finished in a continuous operation, finishing to lines and grades as directed by Engineer-in-charge and curing by curing compound /by providing cement vata in cement Mortar 1:8 @0.6m X 0.6m centre to centre, admeasuring 80 mm at bottom and 40 mm at top with depth of 75mm and maintaining the same throughout curing period by any other method approved by Engineer-in-charge.	Cubic Metre	8130	6562.05	6562.05
37	Providing and laying concrete pipes of I.S.NP. class of 300mm diameter in proper line, level and slope including necessary collars, excavation, laying, fixing with collars in cement mortar 1:1 and refilling the trench complete.	Running Metre	1385	1098.3	1098.3
38	Providing and laying cement concrete pipe of IS 458:2003 NP-2 class of 450mm diameter in proper line, level and slope including providing and fixing collars in cement mortar 1:2 and curing etc. complete.	Running Metre	2185	1739.85	1739.85
39	Providing and laying cement concrete pipe of IS 458:2003 NP-2 class of 600mm diameter in proper line, level and slope including providing and fixing collars in cement mortar 1:2 and curing etc. complete.	Running Metre	3055	2439.15	2439.15
40	Dewatering on BHP basis by using water pump including diversion of stream, providing cofferdams, earthern bunds etc. as may be necessary for foundation and other parts of the the works and pumping out water during and after excavation as may be required by using 3.0 BHP pump etc. complete. (prior approval of Superintending Engineer will be necessary)	Hour	205	159.6	159.6
41	Dewatering on BHP basis by using water pump including diversion of stream, providing cofferdams, earthern bunds etc. as may be necessary for foundation and other parts of the the works and pumping out water during and after excavation as may be required by using 5.0 to 9.0 BHP pump etc. complete. (prior approval of Superintending Engineer will be necessary)	Hour	252	182.7	182.7
42	Dewatering on BHP basis by using water pump including diversion of stream, providing cofferdams, earthern bunds etc. as may be necessary for foundation and other parts of the the works and pumping out water during and after excavation as may be required by using 10.0 to 19.0 BHP pump etc. complete. (prior approval of Superintending Engineer will be necessary)	Hour	258	205.8	205.8
43	Desilting the storm water drains (open and covered drains/ nallas) etc in wet or dry condition including lifts up to 3 m and lead upto 3 KMs as required beyond the work site etc. Comp. As Directed by Engineer in charge.	Cubic Metre	910	718.2	718.2
44	Supplying heavy duty rope of required size for picking up heavy Ganesh Murti at the time of Ganesh Visarjan on Varius Ghat	Kgs	210	250	250
45	Supplying cranes on rental basis including necessary labours and materials etc. Comp	Hour	2910	2295	2295
46	Supplying JCB JS 80 machine on rental basis including necessary labours and materials etc. Comp	Hour	1300	1050	1050
47	Supplying Poclain CK 90 excavater machine on rental basis including necessary labours and m aterials etc. Comp	Hour	1501	1200	1200
48	Supplying Tractor on rental basis including necessary labours and materials etc. Comp	Day	3302	2640	2640
49	Supplying Tipper on rental basis including necessary labours and materials etc. Comp	Day	6902	5568	5568
50	Supplying Water Tanker on rental basis including necessary labours and materials etc. Comp	Day	3002	1500	1500
51	Supplying Static Roller on rental basis including necessary labours and materials etc. Comp	Day	7250	5800	5800
52	Supplying Skilled/unskilled male/female labours	Day	655	493	493
53	Providing and laying curtan cloth of approved colour and shade including necessary labours and materials and removal as directed etc. Comp.	Running Metre	305	35	35
54	Providing and laying Tadpatri/Heavy duty black Polythene sheet including necessary labours, materials, transportation and removal as directed etc. Comp.	Square Metre	252	125	125
55	Providing and fixing of retro- reflectorised informatory sign board rectangular/Square in shape having area greater than 0.9 square meter made out of 2mm aluminum sheet bonded with white retro reflective sheeting of Class B (Type IV High intensity micro-prismatic grade sheeting-HIP) having pressure sensitive/heat activated adhesive retoreflective specified back ground, border and back side retoreflctive symbols, letters, numerals, arrow as per IRC:67-2012 Table No 8.3, supported with back support frame 25mm x 25mm x 3mm, duly painted on back side with two coats of grey stove enamel paint and supported on two no. mild steel angle iron post 75 mm x 75 mm x 6 mm, 3.5 mt long firmly fixed to the ground by means of properly designed foundation with M25 grade cement concrete 45 cm x 45 cm x 60 cm, 60 cm below ground level as per approved drawing The angle iron post shall be duly painted with one coat of epoxy primer and two coats of epoxy finish paints having alternate black and white bands of 25 cm width including GI fixures and transportation etc.complete.The nut bolts of board with angle iron post/supporting structure after fixing at site has to be electrically welded. Class B (Type IV High intensity micro-prismatic grade sheeting-HIP) sheeting shall have 7 years written warranty from the manufacturer and authorised distributor/convertor issued for field performance including the screen printed areas and cut-out sheeting and cut-out durable transparent overlay film and this warranty certificate in original should be submitted to the Engineer in charge by the contractor/supplier.	Square Metre	10005	8039.85	8039.85

56	Removal of telephone / Electric poles including excavation and dismantling of foundation concrete and lines under the supervision of concerned department, disposal with all lifts and up to a lead of 1000 metres and stacking the serviceable and unserviceable material separately	Number	382	312.9	312.9
57	Road Marking with Hot Applied Thermoplastic Compound with Reflectorizing Glass Beads on Bituminous Surface- Providing and laying of hot applied thermoplastic compound 2.5 mm thick including reflectorizing glass beads @ 250 gms per sqm area, thickness of 2.5 mm is exclusive of surface applied glass beads as per IRC:35 .The finished surface to be level, uniform and free from streaks and holes.complete.	Square Metre	878	699.3	699.3
58	Providing fixing wooden baracating 1.5 m high and 1.5 m c/c in three rows horizontal ballies including all necessary labours and materials etc. Comp. On rental basis	Running Metre	272	216	216

उपरोक्त प्रमाणे **कंत्राटदार मो. अजिम मो. अब्दुल अजीज** यांचे वाटाघाटी अंती दिलेले दर + GST ने मंजुरीस्तव तसेच लागणा-या खर्चास प्रशासकीय व आर्थीक मान्यतेस्तव प्रस्ताव मनपा स्थायी समिती सभेसमोर सादर.

विषय क्रं. 09

विषय :- <u>कै. शांताराम सगणे जलतरणीका येथे नविन मशीनरी बसविणे बाबत</u>

नांदेड वाघाळा शहर महानगरपालिकेच्या कै. शांताराम सगणे जलतरणीकेचे जुनी पंपींग मशीनरी बदलून नविन पंपींग मशीनरी बसविण्याकरीता ई-निविदा सुचना क्रं. नावाशमनपा/पापुवजनि/9400/20 दिनांक 29.12.2020 अन्वये (1) दै. उद्याचा मराठवाडा (2) दै. टाईम्स ऑफ गौरव या वृत्तमान पत्रातुन दिनांक 31.12.2020 रोजी दुसरी वेळ इ-निविदा प्रिसिध्द केल्यानुसार एकुण 04 निविदा प्राप्त झाल्या त्यापैकी 03 निविदा पात्र ठरल्या आहेत. पात्र निविदाचे लिफाफा क्रं. 02 (Price Bid) त्रिसदस्य समिती समोर दिनांक 02.02.2021 रोजी उघडण्यातआल्या असता त्याचा तुलनात्मक तक्ता खालील प्रमाणे आहे.

अ.क्र.	कंत्राटदाराचे नांव	कंत्राटदाराने दिलेले दरा	शेरा
01	माना इलेक्ट्रीक अन्ड इंजिनीअरींग सर्विसेस	अंदाजपत्रक दराची निविदा (रुपये 3023588/-)	L1
02	कल्पतरु इंजिनीअर्स अन्ड कॉंट्रॅक्टर्स प्रा.लि.	5.80% जास्त दर (रु. 3198956.10/-)	L2
03	ओम ईडस्ट्रीयल इंजिनिअरींग सर्विसेस	7% जास्त दर (रुपये 3235239.16/-)	L3

निविदेच्या तुलनात्मक तक्त्यानुसार **माना ईलेक्ट्रीक अन्ड इंजिनिअरींग सर्विसेस** यांची निविदा सर्वात कमी दराची असून ती अंदाजपत्रकीय दराची आहे.

करिता विषयांकित कामासाठी **माना ईलेक्ट्रीक अन्ड इंजिनीअरींग सर्विसेस** यांची अंदाजपत्रक दराची **रुपये 3023588/- (अक्षरी रुपये तीस लक्ष तेवीस हजार पाचशे आठयांशी फक्त)** एवढया रक्कमेची निविदा संविदा करणे कामी प्रस्ताव मा. स्थायी समिती सभे समोर मंजुरीस्तव सादर.

विषय क्रं. 10

विषय :- <u>साहित्यरत्न लोकशाहिर अण्णाभाऊ साठे नागरी वस्ती सुधार योजने अंतर्गत खोब्रागडेनगर, मनपुरा भागातील नागरिकांसाठी पाण्याची टाकी बांधणे</u>

नांदेड वाघाळा शहर महानगरपालिकेच्या साहित्यारत्न लोकशाहिर अण्णाभाऊ साठे नागरी वस्ती सुधार योजने अंतर्गत खोब्रागडेनगर, मगणपुरा झोपडपट्टी भागातील व परिसरातील नागरिकांसाठी ESR बांधणेकरीता ई-निविदा सुचना क्रं. नावाशमनपा/पापुजनि/6453/2020 दिनांक 06.10.2020 अन्वये (1) दै. लोकमत (राज्यस्तर) (2) दै. पुण्यनगरी (राज्यस्तर) (3) दै. एकमत नांदेड या वृत्तमान पत्रातुन दिनांक 08.10.2020 रोजी तीसरी वेळ ई-निविदा प्रसिध्द केल्यानुसार एकूण 02 निविदा प्राप्त झाल्या पात्र निविदांचे लिफाफा क्रमांक 02 (Price Bid) त्रिसदस्यत समिती समोर दिनांक 02.11.2020 रोजी उघडण्यात आल्या असता त्याचा तुलनात्मक तक्ता खालील प्रमाणे आहे.

अ.क्र.	कंत्राटदाराचे नांव	कंत्राटदाराने दिलेले दर	शेरा
01	दिपक विठ्ठलराव चव्हाण	9.30% जास्त दर (रुपये 14292253.81/-)	L1
02	इंद्रजा कंस्ट्रक्शन	11.29% जास्त दर (रुपये 14552469.59/-)	L2
वाटाघाटी अंती कमी केलेले दर खालील प्रमाणे आहे			
01	दिपक विठ्ठलराव चव्हाण	निविदा किमंती पेक्षा 1.43% जास्त दरा प्रमाणे (रुपये 13263160.00)	L1

निविदेच्या तुलनात्मक तक्त्यानुसार **दिपक विठ्ठलराव चव्हाण** यांची निविदा सर्वात कमी दराची असुन सदर दर जास्त वाटत असल्याने संबंधीत कंत्राटदारा सोबत वाटाघाटी केली असताः वाटाघाटी अंती दर निविदा किमंत पेक्षा 1.43% जास्त दराने व चालु दरसुचीनुसार अंदाजपत्रक दराने काम करण्याची समंती दिली आहे तसेच महाराष्ट्र जीवन प्राधिकरण मंडळ यांच्या जिल्हा दरसुची प्रमाणे Asper Design Raft Foundation येत असेल तर त्याप्रमाणे देयक देण्याचे समावेश आहे.

करिता विषांकित कामासाठी **दिपक विठ्ठलराव चव्हाण** यांची निविदार किमंतीवर 1.43% जास्त दराची **रुपये 13263160.00 (अक्षरी रुपये एक कोटी बत्तीस लक्ष त्रेसष्ट हजार एकशे साठ फक्त)** एवढया रक्कमेची निविदा संविदा करणेकामी प्रस्ताव मा. स्थायी समिती सभे समोर मंजुरीस्तव सादर.

विषय क्रं. 11

विषय :- <u>मनपा हैदरबाग दवाखाना येथे लागणारे फर्निचर साहित्य खरेदी करण्याबाबत</u>

नांदेड वाघाळा शहर महानगरपालिका, नांदेडच्या हैदरबाग येथील दवाखान्याकरीता लागणारे फर्निचर साहित्य MSSIDC यांनी सादर केलेल्या दराप्रमाणे खरेदीसाठी रुपये 2,97,675/- (अक्षरी रुये दोन लक्ष सत्यान्नव हजार सहाशे पंच्याहत्तर फक्त) एवढा खर्च लागणार आहे.

करिता उक्त खर्चास महाराष्ट्र महानगरपालिका अधिनियम 1949 चे प्रकरण-5 (2) (2) नुसार प्रशासकीय व आर्थीक मान्यता प्रदान करणेस्तव प्रस्ताव मनपा स्थायी समिती सभेसमोर सादर.

विषय क्रं. 12

विषय :- <u>मनपा हैदरबाग दवाखाना येथे लागणारे फर्निचर साहित्य खरेदी करण्याबाबत</u>

नांदेड वाघाळा शहर महानगरपालिका, नांदेडच्या हैदरबाग येथील दवाखान्याकरीता लागणारे फर्निचर साहित्य MSSIDC यांनी सादर केलेल्या दराप्रमाणे खरेदीसाठी रुपये 2,97,675/- (अक्षरी रुये दोन लक्ष सत्यान्नव हजार सहाशे पंच्याहत्तर फक्त) एवढा खर्च लागणार आहे.

करिता उक्त खर्चास महाराष्ट्र महानगरपालिका अधिनियम 1949 चे प्रकरण-5 (2) (2) नुसार प्रशासकीय व आर्थीक मान्यता प्रदान करणेस्तव प्रस्ताव मनपा स्थायी समिती सभेसमोर सादर.

<u>प्रशासकीय टिप्पणी</u>

नांदेड वाघाळा शहर महानगरपालिका, नांदेडच्या हैदरबाग येथील दवाखान्याकरीता लागणारे फर्निचर साहित्य MSSIDC यांनी सादर केलेल्या दराप्रमाणे खरेदीसाठी रुपये 2,97,675/- (अक्षरी रुये दोन लक्ष सत्यान्नव हजार सहाशे पंच्याहत्तर फक्त) एवढा खर्च लागणार आहे.

करिता उक्त खर्चास महाराष्ट्र महानगरपालिका अधिनियम 1949 चे प्रकरण-5 (2) (2) नुसार प्रशासकीय व आर्थीक मान्यता प्रदान करणेस्तव प्रशासकीय टिप्पणी मनपा स्थायी समिती सभेसमोर सादर.

विषय क्रं. 13

विषय :- नांदेड वाघाळा शहर महानगरपालिका क्षेत्रात तयबाजारी, आठवडी बाजार व दैनंदिन भाडे (नो हॉकर्स झोन वगळून) वसुलीच्या मक्त्या बाबत

नांदेड वाघाळा शहर महानगरपालिका क्षेत्रात तयबाजारी, आठवडी बाजार व दैनंदिन भाडे (नो हॉकर्स झोन वगळून) वसुलीचा तक्ता ताबा दिनांका पासुन एक वर्षासाठी देणेसाठी सरकारी बोली रुपये 90,20,000/- (अक्षरी रुपये नव्वद लाख वीस हजार फक्त) ठेवुन वृत्तपत्रामध्ये जाहिर सुचना देवुन दिनांक 18.01.2021 रोजी ई-लिलाव घेण्यात आला. सदर लिलावामध्ये दोन ठेकेदारांनी भाग घेतला परंतु एकाच ठेकेदारांनी बोली बोलल्यामुहे सदर स्पर्धा न झाल्यामुळे रद्द करण्यात आला. व पुनश्च वृत्तपत्रामध्ये जाहिर सुचना देवुन दिनांक 18.02.2021 राजी ई-लिलाव घेण्यात आला. सदर ई-लिलावामध्ये एकूण 02 ठेकेदारांनी भाग घेतला त्यापैकी छत्रपती शिवाजी स्वयंरोजगार एस.एस.एस. लि. यांनी सर्वात जास्तीची अंतीम यशस्वी बोली रुपये 98,20,000/- (अक्षरी रुपये अठ्ठयान्नव लक्ष वीस हजार फक्त) एवढी बोलली आहे.

छत्रपती शिवाजी स्वयंरोजगार एस.एस.एस. लि. यांनी नांदेड वाघाळा शहर महानगरपालिका क्षेत्रात तयबाजारी, आठवाडी बाजार व दैनंदिन भाडे (नो हॉकर्स झोन वगळून) वसुलीचा मक्ता ई-लिलावामध्ये सर्वात जास्तीची बोली बोलल्यामळे महानगरपालिकेचे आर्थीक हीत लक्षात घेता, ताबास दिनांकापासुन एक वर्षासाठी नियम व अटीनुसार मक्ता देणेसाठी मनपा स्थायी समितीच्या मान्यतेस्तव सादर सदरचा प्रस्ताव या सभेमध्ये ठेवुन कायम करण्यात यावा.

विषय क्रं. 14 **प्रस्ताव**

सन 2006 मध्ये नावाशमनपाकेने श्री संघरत्न गणपतराव सोनसळे यांची विहित कार्यपध्दतीचा अवलंब करुन उपअभियंता या पदावर एकत्रीत वेतनावर नियुक्ती केली होती. पण उपअभियंता पद हे रिक्त नसल्यामुळे निवड समितीने हे पद उपलब्ध होणे किंवा निर्माण होण या अटीवर वेतनश्रेणी रुपये 8000 ते 13500 वर तात्पुरत्या स्वरुपात पद रिक्त होई पर्यंत नियुक्ती केली होती परंतु गेली तेरा वर्षा पासुन आज पर्यंत हे कंत्राटी म्हणूनच कार्यरत आहे.

श्री संघरत्न सोनसळे यांच्या समकालीन नियुक्ती झालेले व नंतरचे कंत्राटी कर्मचारी मनपाकेच्या विविध विभागाच्या विविध विभागात कायमस्वरुपी सेवेत कार्यरत झाले आहेत. श्री संघरत्नसोनसळे हे मागासवर्गीय अनुसूचित जातीच्या बौध्द संवर्गातील असल्यामुळे त्यांचेवर जाणीवपुर्वक अन्याय झाला आहे का ? अशी शंका येते.

या विषय मनपाकेच्या सर्वसाधारण सभेत व स्थायी समितीच्या सभेमध्ये चर्चा झाली, पण प्रशासनाने त्यावर कोणताही निर्णय घेतला नाही सध्या मनपाकेच्याआस्थापनेवर उपअभियंता पदाच्या तीन जागा रिक्त आहे, तरीपण अभियंता श्री संघरत्न सोनसळे यांना कायमस्वरुपी सेवेत सामावुन घेतले नाही, ही बाब अत्यंत गंभीर आहे. ही स्थायी समितीची सभा वरील अभियंता यांनी केलेली प्रदीर्घ सेवा विचारात घेऊन त्यांना आस्थापनेवरील रिक्त उपअथभयंता पदावर सेवा कायमस्वरुपी करावी, असा प्रस्ताव सर्वानुमते समंत करीत असून तो याच सभेत मंजुर करण्यात येत आहे. पुढील वैधानिक कार्यवाही प्रशासनाने करावी.

सुचक :- बापुराव गजभारे **अनुमोदक:-** रिहाना बेगम चाँद पाशा

स्वाक्षरीत/-	**स्वाक्षरीत/-**
(स. अजीतपालसिंघ संधु)	**(गाडीवाले विरेंद्रसिंघ जगतसिंघ)**
नगरसचिव,	**सभापती,**
नांवाशमनपा, नांदेड.	**स्थायी समिती,** नांवाशमनपा, नांदेड.